

Introduced by: City Manager Herron
Date: September 21, 1999
Public Hearing: October 12, 1999
Action: Enacted
Vote: Unanimous

CITY OF BETHEL, ALASKA

ORDINANCE #99-22

A ORDINANCE AMENDING BMC 13.08.160 (B), REQUIRING ALL SEWAGE HOLDING TANKS TO BE EQUIPPED WITH A CAMLOCK AND CHANGING THE EFFECTIVE DATE

WHEREAS, the City Council wishes to change the effective date of Ordinance #98-26; and

WHEREAS, an extension of the effective date was approved by Emergency Ordinance #99-19 on September 1, 1999; and

WHEREAS, an emergency ordinance is only valid for sixty days;

NOW, THEREFORE, BE IT ORDAINED by the City Council of Bethel, Alaska, that:


SECTION 1. Classification. This ordinance is not of a general nature and shall not become a part of the Bethel Municipal Code.

SECTION 2. Additional Evacuation Service Charge. Evacuation service provided between October [AUGUST] 31, 1999 and January [NOVEMBER] 1, 2000 [1999] to a holding tank that is not equipped with an operating, compatible camlock shall incur an additional charge of \$20.00 for each such evacuation.


SECTION 3. Effective date. This ordinance shall become effective upon passage.

ENACTED THIS 12th DAY OF OCTOBER 1999, by a vote of 7 in favor and 0 opposed.

ATTEST:



Agnes L. Phillips, Mayor



Gaye J. Vaughan, City Clerk